

L38

2U Liquid Cooler

PRODUCT SPECIFICATIONS

Speficiation Version: 02/21/2024

(Specifications are subject to change without notice)

Model Number: L38


- Recommend for Intel® CPU as following
 - Intel® Granite Rapid AP Processors, Socket LGA7529
- Liquid Cooler for 2U Server and Up

Overall Specification

- Coldplate Module with Copper Base
- Space saver light weight radiator
- 8cm Cooling Fans with 4-Pin PWM Connector
- Stand-alone Water Pump with Powerful Flow Rate 2.9 Liter Per Minute
- 30cm Black Pair EPDM Tube Assembled
- Mounting Accessories are included
- Shin-Etsu Series Thermal Compound Pre-Printed on Base
- Support CPU power up to 700W@40°C ambient
- **Each fan should have its own fan header due to high current consumption at full speed**


Cooling Fan Specification

Model Number	DF128038BX-PWMG
Dimension	80 x 80 x 38mm
Bearing	Dual Ball
Rated Voltage	12V
Rated Speed	At Duty Cycle 0~20%: 2400± 10% RPM At Duty Cycle 50%: 4800± 10% RPM At Duty Cycle 100%: 8000±10% RPM
Input Power	At Duty Cycle 0~20%: 1.2 W At Duty Cycle 50%: 5.52 W At Duty Cycle 100%: 24.72 W
Maximum Airflow	At Duty Cycle 0~20%: 35.52 CFM At Duty Cycle 50%: 67.24 CFM At Duty Cycle 100%: 115.61 CFM
Rated Static Pressure	At Duty Cycle 0~20%: 1.39 mm-H2O At Duty Cycle 50%: 5.97 mm-H2O At Duty Cycle 100%: 34.06 mm-H2O
Acoustical Noise	At Duty Cycle 0~20%: 16.00 dBA At Duty Cycle 50%: 44.24 dBA At Duty Cycle 100%: 57.00 dBA
Lead Wire Pin Out	Pin#1- Black(-) Pin#2- Yellow(+) Pin#3- Green(Tachometer/ Signal Output)



Performance Chart: Liquid Cooler L38 Thermal Resistance


Thermal Resistance vs. Fan Speed (Duty Cycle and RPM)



Publication History:

08/08/2023: Initial Release.

(Specifications are subject to change without notice)



REV#	DESCRIPTION	CHECKER	DATE
0.0	INITIAL RELEASE	JUN	08/07/23
0.1	COLD PLATE HEIGHT CHANGE	JUN	02/21/24

	NAME	DATE
DRAWN BY	JUN	2/21/2024
CHECKED BY	JUN	2/21/2024
ENG.APPROVED		
MFG.APPROVED		



DYNATRON CORPORATION

TITLE:

2U LIQUID COOLER L38
OVERALL DIMENSION DRAWING

CONFIDENTIAL DOCUMENT
THIS DRAWING CONTAINS INFORMATION PROPRIETARY TO DYNATRON CORPORATION AND DYNAEON INDUSTRIAL CO., LTD. ANY REPRODUCTION, DISCLOSURE, OR USE OF THIS DRAWING IS EXPRESSLY PROHIBITED EXCEPT AS DYNATRON CORPORATION AND DYNAEON INDUSTRIAL CO., LTD. MAY OTHERWISE AGREE TO IN WRITING.

VIEW	
UNITS	MM

DWG. No:	DYN-BD-L38
----------	------------

REV.	0.1
------	-----



CONFIDENTIAL DOCUMENT

THIS DRAWING CONTAINS INFORMATION PROPRIETARY TO DYNATRON CORPORATION AND DYNAEON INDUSTRIAL CO., LTD. ANY REPRODUCTION, DISCLOSURE, OR USE OF THIS DRAWING IS EXPRESSLY PROHIBITED EXCEPT AS DYNATRON CORPORATION AND DYNAEON INDUSTRIAL CO., LTD. MAY OTHERWISE AGREE TO IN WRITING.

REV#	DESCRIPTION	CHECKER	DATE
0.0	INITIAL RELEASE	JUN	08/09/23

B

B



8	SCREW, FAN	STEEL	12
7	FAN, DF128038BX-PWMG	PLASTIC	3
6	RADIATOR	ALUMINUM ALLOY	1
5	HOSE, 300MM	EPDM	2
4	ANTI-TILT RETENTION KIT	PLASTIC NUT, STEEL WIRE	4
3	WATER BLOCK	CU COLDPLATE, PLASTIC LTD	1
2	LGA7529 PACKAGE CARRIER	PLASTIC	1
1	THERMAL GREASE	SHIN-ETSU 7762	N/A
ITEM #	DESCRIPTION	MATERIAL	QTY.

	DATE	NAME	 DYNATRON CORPORATION TOP MOTOR	
DRAWN	12/11/2023	JUN	TITLE: 2U LIQUID COOLER L38 BOM & exploded Assembly Drawing	
CHECKED	12/11/2023	JUN		
ENG.APPR.				
MFG.APPR.				
COMMENTS:			DWG. NO. DNY-EP-L38	REV 0.0

NOTES:
THE FIGURE IS FOR REFERENCE ONLY, AND NOT FOR SCALE

A